

DISTRIBUTION OF SALMON AND STEELHEAD IN THE  
COLUMBIA RIVER BASIN - 1850 AND 1976

Dorien C. Lavier  
Washington Department of Game

(A summary of data from maps prepared for  
Columbia River Fisheries Project)

Distribution of Salmon and Steelhead in the  
Columbia River Basin - 1850 and 1976

	1850	1975	Increase	Decrease
River miles length	18,296	18,296		
Miles access to fish	14,666	10,073		4,593
Miles block to fish	3,630	8,223	4,593	
Steelhead use - miles	12,935	8,915		4,020
Spring chinook use - miles	10,618	5,417		5,201
Summer chinook use - miles	4,972	2,268		2,704
Fall chinook use - miles	1,825	1,658		167
Coho use - miles	2,554	3,208	654	
Chum use - miles	309	194		115
Blueback use - miles	2,268	794		1,474

\* Sub regions have been selected to conform to those of Pacific Northwest Regional Commission for convenience of mapping.

UPPER COLUMBIA  
Sub Region 2

	1850	1975	Increase	Decrease
River miles length	2,349	2,349		
Miles access to fish	1,400	568		832
Miles block to fish	949	1,781	832	
Steelhead use - miles	839	435		404
Spring chinook use - miles	1,216	405		811
Summer chinook use - miles	809	186		623
Fall chinook use - miles	160	5		155
Coho use - miles	198	97		101
Chum use - miles	0	0		
Blueback use - miles	504	193		311

Sub Region 2:

Wenatchee  
 Entiat  
 Chelan  
 Methow  
 Okanogan  
 San Poil  
 Spokane  
 Colville  
 Kettle  
 Pend O'Reille  
 Kootenay  
 Upper Columbia  
 28 major tributaries

YAKIMA  
Sub Region 3

	1850	1975	Increase	Decrease
River miles length	799	799		
Miles access to fish	698	562		136
Miles block to fish	101	237	136	
Steelhead use - miles	646	503		143
Spring chinook use - miles	585	353		232
Summer chinook use - miles	100	100		
Fall chinook use - miles	60	60		
Coho use - miles	325	264		61
Chum use - miles	0	0		
Blueback use - miles	320	0		320

Sub Region 3:  
Yakima  
27 major tributaries

CENTRAL SNAKE  
Sub Region 5

	1850	1975	Increase	Decrease
River miles length	2,474	2,474		
Miles access to fish	2,050	0		2,050
Miles block to fish	424	2,474	2,050	
Steelhead use - miles	2,050	0		2,050
Spring chinook use - miles	1,865	0		1,865
Summer chinook use - miles	1,865	0		1,865
Fall chinook use - miles	0	0		
Coho use - miles	0	0		
Chum use - miles	0	0		
Blueback use - miles	400	0		400

Sub Region 5:

Weiser  
 Payette  
 Pine  
 Powder  
 Burnt  
 Malheur  
 Boise  
 Owyhee  
 Bruneau  
 Malad  
 Many major tributaries

LOWER SNAKE  
Sub Region 6

	1850	1975	Increase	Decrease
River miles length	6,725	6,725		
Miles access to fish	5,729	4,846		883
Miles block to fish	996	1,879	883	
Steelhead use - miles	5,156	4,120		1,036
Spring chinook use - miles	3,899	2,813		1,086
Summer chinook use - miles	2,198	1,834		364
Fall chinook use - miles	674	345		329
Coho use - miles	481	379		102
Chum use - miles	0	0		
Blueback use - miles	999	601		398

Sub Region 6:

Asotin  
 Grande Ronde  
 Imnaha  
 Tucannon  
 Palouse  
 Clearwater  
 Salmon  
 238 major tributaries

MID-COLUMBIA  
Sub Region 7

	1850	1975	Increase	Decrease
River miles length	2,234	2,234		
Miles access to fish	1,864	1,606		258
Miles block to fish	370	628	258	
Steelhead use - miles	1,834	1,479		355
Spring chinook use - miles	1,218	655		563
Summer chinook use - miles	0	148	148	
Fall chinook use - miles	70	201	131	
Coho use - miles	231	344	113	
Chum use - miles	0	0		
Blueback use - miles	45	0		45

Sub Region 7:

White Salmon  
Klickitat  
Wind  
Hood  
Deschutes  
John Day  
Umatilla  
Walla Walla  
58 major tributaries

LOWER COLUMBIA, WASHINGTON  
Sub Region 8

	1850	1975	Increase	Decrease
River miles length	1,425	1,425		
Miles access to fish	961	713		248
Miles block to fish	464	712	248	
Steelhead use - miles	1,034	733		301
Spring chinook use - miles	428	188		240
Summer chinook use - miles	0	0		
Fall chinook use - miles	709	552		157
Coho use - miles	903	703		200
Chum use - miles	250	144		106
Blueback use - miles	0	0		

Sub Region 8:

Grays  
Elochaman  
Cowlitz  
Toutle  
Kalama  
Lewis  
Washougal  
107 major tributaries

WILLAMETTE AND LOWER COLUMBIA, OREGON  
Sub Region 9

	1850	1975	Increase	Decrease
River miles length	2,290	2,290		
Miles access to fish	1,964	1,778		186
Miles block to fish	326	512	186	
Steelhead use - miles	1,376	1,645	269	
Spring chinook use - miles	1,407	1,003		404
Summer chinook use - miles	0	0		
Fall chinook use - miles	152	495	343	
Coho use - miles	416	1,421	1,005	
Chum use - miles	59	50		9
Blueback use - miles	0	0		

Sub Region 9:

Youngs  
 Lewis and Clark  
 Klaskanine  
 Clatskanie  
 Scappoose  
 Willamette  
 Sandy  
 79 major tributaries